

ELITE
GREENHOUSES LTD
BOLTON ENGLAND 1953

Accessories & Fittings



ROOTS & SHOOTS

Elite's "roots and shoots" aluminium raised beds make an attractive feature to any garden. They can be used inside the greenhouse to avoid contamination between produce or outside the greenhouse on a patio. They are perfect for short rooted plants, vegetables and herbs.

Raised beds are a great way of adding height, colour and interest.



Model Illustrates 4'4" x 2'4" (1328mm x 710mm)
Powder Coated Black (Optional Extra)
Black Bar Capping (Optional Extra)



Model Illustrates 2'4"x2'4" (710mmx 710mm)
Alloy Finish

- Made from strong extruded aluminium
- Better Drainage
- Avoids contaminated soil
- Perfect space for trellises
- Easy to add compost
- Helps keep unwanted pests out
- Available in 3 sizes, 2'x2', 2'x4' and 2'x6' (nominal size)
- Perfect inside or outside your greenhouse
- Can be powder coated to match your Elite Greenhouse
- All the fixings are located inside the bed with a nut cover
- UPVC Bar Capping can be added for a neater finish

Create a beautiful herb box





Model Illustrates 6'4" x 2'4" (1945mm x 710mm)
Powder Coated Olive (Optional Extra)
Olive Bar Capping (Optional Extra)

MIN-E-LITE

The Min-E-Lite has all the characteristics and strength of an Elite Greenhouse, packaged into a small but mighty grow house. It provides invaluable protection for tender young plants, seeds and cuttings, especially during the harsher conditions experienced in the garden.

Ideal if you're looking to harden off tender young plants, create a patio herb garden, or make an addition to your existing greenhouse.



Slide opening vents make it easy to access Min-E-Lite



Built in integral gutter x 2

Image demonstrates

6'5" Long x 2'4" Wide
3 Sliding vents
Powder Coated Olive (Optional Extra)
Bar Capping (optional extra)

Ridge Height
2'3" (685mm)

Eaves Height
1'4" (406mm)

Image demonstrates

4'5" Long x 2'4" Wide
2 Sliding Vents
Aluminium Finish

Vents in open position



NEW PRODUCT

Here's why we love the Min-E-Lite

Made from extruded aluminium making it strong yet light weight.

Pitched roof to boost natural light.

Built in integral gutters to collect the rainwater.

Available in three sizes 4'5"x2'4" or 6'5"x2'4" or 8'5" x 2'4".

Can be powder coated to match your garden.

Optional UPVC bar capping can be added for a decorative finish.

Available in Horticultural, Toughened or Polycarbonate Glazing.

MANUAL VENTS

Good ventilation is vital to successful growing in a greenhouse. By having a combination of roof vents and side louvre vents you are able to create optimal air circulation for all you growing needs.



ROOF VENT

Elite include at least one manual roof vent as standard on every greenhouse (with the exception of the Window Garden and 2' R-Type models). Additional roof vents can be purchased if required.

The longer the greenhouse the more vents are included as standard

LOUVRE VENT



10 Blade Louvre



5 Blade Louvre



Good air circulation is important. Humid and stagnant air can cause condensation which can develop into disease and mould in plants. By adding a louvre vent, fresh air is drawn in from the side of the greenhouse and encouraged to circulate from different levels. Louvre size varies between models.

AUTOMATIC OPENERS

Offering peace of mind when you can't be there, ventilation is provided automatically via a solar powered wax cylinder which opens and closes the vent when the temperature inside the greenhouse reaches a certain level.

ELITE AUTOMATIC ROOF VENT

The Elite automatic completely opens the roof vent to 18" allowing maximum ventilation to protect your hard work. No drilling is required and the universal fitting makes it compatible with most industry models.



BAYLISS XL

Its 12" opening fits closely and neatly to the glass which is ideal for greenhouses where headroom is limited.



BAYLISS MK7

A robust roof vent opener designed to open heavier roof vent frames. The automatic offers a maximum 12" opening range



AUTOMATIC LOUVRE VENT OPENER



An automatic mechanism is also available for the 5 and 10 blade louvre.



Replacement Cylinders are available for all automatic roof and louvre vent openers

RAINWATER COLLECTION

Every Elite Greenhouse comes complete with Elite's unique half round integral gutter. They not only make the greenhouse stronger but are a great way to collect rain water



Why not collect natural rainwater to bring on your plants, they will love it

STANDARD RAINWATER KIT

Each kit comprises of pipe work and outlets for one end of each gutter and stop ends to terminate the opposite end. You basically get everything x 2. You can decide which corners to have the stop ends and the downpipe.

LEAN TO RAINWATER KIT

The Lean to only has one gutter, therefore this only has one collection point. Each kit comprises of pipe work and outlets for one end and a stop end at the opposite end.



RAINWATER KIT TO ONE GUTTER

To eradicate the need for more than one barrel, we have a two in one rainwater kit. A transverse pipe is placed along the rear of the greenhouse terminating into a T junction which connects both gutters to one outlet.



This in turn allows the water to be collected from both gutters into a single collection point such as a water barrel.

Please note:
Rainwater fittings are only available in BLACK
Water barrels are purchased separately

WATER BARRELS

Elite offer two sizes of water barrel. The barrel can be raised onto a stand to allow simple access to the tap.

210 Litre & 100 Litre

Water barrel stand are sold separately.





Water barrels can vary slightly in colour and specification

Water Barrels can not be sent on a carrier and must be delivered with your greenhouse or collected

BESPOKE RAINWATER

Any fittings and bends can be purchased separately in order for you to tailor a system for your requirements. Standard pipes are available in 1m and 3m lengths



Knuckle Bend | Swivel Bend | Swept Tee | Obtuse Bend



Straight Connector | "P" Clip | Stop End

BIG DRIPPA

The system can be fitted to the greenhouse glazing bars. This watering system offers the benefit of drip watering without the need for mains water supply

Why not recycle the rainwater you have collected from your gutters to fill your drippa bag.

The kit features:

10.5 litre water reservoir bag, 5 metres of irrigation tube, 6 adjustable nozzles.
(the nozzles determines the rate of water flow and can be turned off completely)




DIAMOND STAGING & SHELVING

Elite Diamond staging is a strong and versatile work bench. The shelving can be fitted above the staging keeping everything you need in easy reach. Not only are they extremely strong, but very practical.

Here's why

- Slatted design ideal for drainage.
- Perfect for sowing and potting up your plants.
- Shelving and staging can work together to maximise the area.
- Height adjustable for more comfort whilst working.
- Wheelchair friendly.
- No visible legs, allowing additional storage space beneath the staging.
- The staging and shelving can be combined to make longer lengths.
- Super strength diamond integral staging.
- Can be powder coated to match your greenhouse.
- Only recommended for Elite buildings, other greenhouse frames may not be strong enough to support the staging.



	SHELF WIDTH	FROM THE GLASS	LENGTHS AVAILABLE		
2 Slat Shelf	7½" 185mm	8½" 220mm	4' 1220mm	6' 1830mm	8' 2440mm
3 Slat Shelf/Staging	11" 280mm	12¼" 312mm	4' 1220mm	6' 1830mm	8' 2440mm
5 Slat Staging	18½" 470mm	19¾" 503mm	4' 1220mm	6' 1830mm	8' 2440mm
7 Slat Staging	26" 660mm	27¼" 693mm	4' 1220mm	6' 1830mm	8' 2440mm




2 Slat


7 Slat


3 Slat


GREEN
MOCHA
NAVY
BLACK
GRAPHITE
BROWN
TERRACOTTA
WHITE
OLIVE
BERRY
STONE


5 Slat

MODULAR STAGING


Modular staging offers affordable utility storage and maximum working area specific for your chosen model of greenhouse. The modular staging is sold per bay and can be bolted together in various configurations tailored to your individual needs. The trays have drainage points in each corner and can be reversed to be used as a shelf. Available in 4 widths. The modular staging can not be powder coated.



EASILY EXTENDED


REVERSIBLE TRAYS


SAFETY EDGES


DOUBLE BOLTED





12” WIDE



Image demonstrates

Double Tier—3 Bays
12” wide x 5’9” long

Each Bay is 12” x 23”
(305mm x 584mm)
Height Double Tier 32” (812mm)
Height Triple Tier 50” (1270mm)



Image demonstrates

Triple Tier—2 Bays
12” wide x 3’10” long

18” WIDE



Image demonstrates

Each Bay is 18” x 23”
(457mm x 584mm)
Height 32” (812mm)

Image demonstrates

Double Tier—3 Bays
18” wide x 5’9” long

20” WIDE



Image demonstrates

Double Tier—4 Bays
20” wide x 7’8” long

Each bay is 20” x 23”
(508mm x 584mm)
Height Double 32” (812mm)
Height Triple 50” (1270mm)



Image demonstrates

Triple Tier—2 Bays
20” wide x 3’10” long

23” WIDE



Image demonstrates

Double Tier—1 Bays
23” wide x 1’8” long

Each bay is 23” x 20”
(584mm x 508 mm)
Height Double 32” (812mm)
Height Triple 50” (1270mm)



Image demonstrates

Triple Tier—1 Bay
23” wide x 1’8” long

Modular staging can not be sent on a carrier and must be delivered with your greenhouse.

SEED TRAY

High quality, lightweight aluminium seed tray frames are a great tool for over wintering tender garden plants, germination and growing-on seedlings, prior to planting out. Available in 4 sizes so there is sure to be a size perfect for your greenhouse. Comes complete with seed trays.

3 TIER, 9 TRAYS

Width 30" (780mm)
Depth 16" (410mm)
Height 32" (820mm)







3 TIER, 6 TRAYS

Width 20" (520mm)
Depth 16" (410mm)
Height 38" (970mm)

3 TIER, 12 TRAYS

Width 3" (970mm
Depth 16" (410mm)
Height 38" (970mm)





Image demonstrates

Powder Coated Green

5 TIER, 15 TRAYS

Width 30" (780mm)
Depth 16" (410mm)
Height 50" (1270mm)

POTTING BENCH

The Potting Bench's working height is ideal for potting up fledging plants. It has a 2" front lip which prevents spillage and keeps the working area tidy. There is a 4" diameter hole allowing access for any wastage to be collected in the hopper below. The hopper is large enough to store an ample supply of compost and additional pots.

Width	23"	(584mm)
Depth	20"	(508mm)
Height—Front	35½"	(901mm)
Height—Back	44"	(1117mm)



Can not be Powder Coated

ALL SLATTED BENCH



The All Slatted Bench is made from high quality aluminium and is available in one size only. It has a two tiered platform. The slats give you the option to have the slats together or set wider apart when plants need more ventilation and less water. This must be decided at the time of construction.



Width	46¾"	(1190mm)
Depth	20"	(508mm)
Height	34"	(863mm)


Can not be Powder Coated

POTTING TIDY

The Potting Tidy is a hard wearing, sturdy and washable work tool with lots of uses. Made from durable plastic, finished in black it is ideal for messy jobs. Can be used in conjunction with most staging.

24" (W) 20½" (D) 8" (H) at the back of the tidy





TIDY TRAY SHELF

A perfect companion to the Potting Tidy. The shelf fits securely on the top rim and provides 3 recessed pockets to hold useful tools.
24" x 8"



Width 39½" (1003mm)
Depth 15½" (393mm)
Height 2" (50mm)

GROWBAG TRAY

The Grow Bag Tray is extremely universal for all your growing needs. It can hold a full size grow bag or 4 standard seed trays or large pots. The tray is watertight preventing your plants drying out during hot days



FLOOR MATTING

The matting provides gentle flexing under foot and cushioning when stood working for long periods of time in the greenhouse.

It is lightweight and has a high resistance to extreme temperatures. It will not split, crack, warp or discolour and is resistant to oils, detergents, mould and mildew.



Each tile is 300mm x 300mm and easily clicks together to form any length, width or shape



Suggested sizes
24" Wide x 4', 6' or 8' long
36" Wide x 4', 6' or 8' long

Available colours



GARDEN TRACK





Create a walkway in seconds!

Each track consists of 24 panels connected by sturdy link pins to create a 3m long path allowing safe and easy passage over muddy ground or gravel.

Each pack creates a pathway 10' long x 15" wide (3000mm x 390mm)

ALUMINIUM CRESTINGS & FINIALS

Extremely strong cast aluminium (not plastic)

Deterrent against cats and birds

Available on all free standing Elite Greenhouses—any length

Can be Powder Coated



SOIL BED DIVIDER

The soil bed divider allows you to replicate an outdoor bed inside your greenhouse. The bed width can easily be adjusted by moving the divider along the bolt channel of the base.

The divider is 4" (100mm) tall and made of strong aluminium extrusion. A great way to separate crop in your greenhouse.


The soil bed dividers are available in 4', 6', 8' 10' and 12' Lengths



SHADING

The easy to install shading netting effectively reduces the temperature and potential scorch in a greenhouse by introducing a barrier between the sun and plants The shading can be cut to the required size and fitted to the inside of the greenhouse using the lining hooks.

Each kit is 20' x 6' and comes complete with 30 Lining Hooks



PLASTIC HOOKS Pack size 6

Easily secured into the glazing bar, these useful hooks provide a means to attach lightweight supports for plant development such as tomato string.



Each kit is 20' x 6' and comes complete with 45


LINING HOOKS Pack size 10 or 30

Used to attach lining such as bubble or netting to the inside of the framework. The plug is pushed through the lining material, twisted and locked into position in the glazing bar.



GREENHOUSE INSULATION

The UV stabilised bubble material can be fitted to insulate your greenhouse during the colder months, effectively keeping an unheated greenhouse frost free and reducing fuel consumption when heating your greenhouse. It can be cut to the required size and fits inside the greenhouse using lining hooks. Guaranteed for 5 years against discolouration.



SPACERS Pack size 6

Used together with lining hooks, the spacer creates a 25mm air gap between the lining material and the glass, allowing breathability and reduced condensation.



Each kit is 30' x 2'5" and comes complete with 30 Lining Hooks



INSULATION SHADING CLIPS Pack size 10

A heavy duty combined lining hook and spacer creates an air gap between the lining material and glass



DIGITAL THERMOMETER



The digital max min thermometer is an essential device for monitoring and recording temperatures inside your greenhouse. With a 4000 hour battery life the 1.5 volt AA batteries (supplied) will only need changing approximately every 5 months.

It features an LCD display that simultaneously displays the actual and max/min temperatures. Temperature is measured over the range of -20 to 69.9 °C

The thermometer is housed in a durable ABS case measuring 29 x 79 x 187 mm. The instrument incorporates a slot for hanging.



GREENHOUSE BIN SEAT

Ideal for storing compost and tools whilst doubling up as a useful working seat.

47 litre container. It can store plenty of loose items to keep your working area tidy



HANDY TOOL RACK

The handy tool rack easily attaches to the glazing bar and can accommodate various tools on 5 moveable "S" hooks. It can be easily attached to Elite's glazing bar and can be powder coated to suit*

Length 670mm

* Hooks can not be powder coated

A fantastic accessory to keep your work area tidy.

BAR CAPPING


GREEN


BLACK


GRAPHITE


BROWN


WHITE


OLIVE


BERRY


STONE


NAVY


MOCHA


Olive greenhouse with Olive Bar Capping


The Bar Capping is a PVC strip which covers the outside of the glazing bar

It is used alongside the wire clips to provides a stronger hold for the glazing, and the rubber fin increases the water seal between the frame and glass.

The bar capping is simply screwed into position using colour coded screws and provides a neat decorative finish.

Not recommended for use with overlapping glass.


Before


After

WINDOW GARDEN

The Elite Window Garden is the perfect addition to the smaller garden. It can attach to walls or a garden shed and provides blossoming potential from a simple grow bag to a fully featured herb garden.

Available with Horticultural glass, Toughened safety glass or 6mm Twin wall polycarbonate



Integral Gutter



Door Catch




Wheelchair Friendly



One tray included as standard large enough to fit a grow bag. Additional trays can be purchased to create a second tier for smaller herbs and plants.



A	5'1 1/2" (1560mm)
B	1'5 1/2" (440mm)
C	4' (1210mm)
D	1'7" (480mm)
DOOR	Height x Width 3'8 1/2" x 11" (1130 x 280mm) Length 3'10" (1170mm)



Fittings








WIRE CLIPS

Finished in stainless steel, the butterfly shaped wire clip attaches to the side of the glass ensuring a tight flush fit against the glazing bar.
Pack Qty 15 or 50



OVERLAP CLIPS

Used on overlapping glass, the aluminium clip is only preformed at one end allowing flexibility for glass tolerance.
Pack Qty 15 or 50



SPRING CLIPS

These rust free stainless steel clips hold the glass firmly against the glazing bar.

Pack Qty 15 or 50



PRE FORMED OVERLAP CLIPS

A stainless steel overlap clip with pre-formed top and bottom allowing the glass to overlap by 3/8".
Pack Qty 15 or 50

GROW HOOKS

These fittings can be used to train tomato string or electrical cable, they are so useful, practical, strong and easy to fit. Pack Qty 6









NUT CAPS

The nut covers are used in conjunction with the powder coated products. They effectively hide the bolt heads.

Pack Qty 50

Available in:

Black, White, Green and Olive

NUTS & BOLTS

Elite only use high tensile nuts and bolts in two styles, full or crop headed, both in 11mm or 22mm lengths. They are made from aluminium, therefore eliminating rust and providing long life.

The full head is intended for the construction of most aluminium greenhouses, whereas the cropped headed style provides an opportunity of attaching items to the frame once it is assembled.

Pack Qty 15 or 50



DOOR WHEELS

Fingertip door operation is provided by plastic door wheels with self-lubricating ball bearings.

Available in two sizes 28mm or 32mm diameter

Pack Qty 2 including fittings





PLASTIC HOOKS Pack size 6

Easily secured into the glazing bar, these useful hooks provide a means to attach lightweight supports for plant development such as toma-to string.

Each kit is 20' x 6' and comes com-



SPACERS Pack size 6

Allow breathability and reduces condensation when used with the lining hooks to create a 25mm air gap between the lining material and the greenhouse glass.



LINING HOOKS Pack size 10 or 30

Used to attached lining such as bubble or netting to the inside of the framework. The plug is pushed through the lining material, twisted and locked into position in the glazing bar.



INSULATION SHADING CLIPS Pack size 10

These heavy duty clips combine Elite's lining hook and spacer as one which attached to the greenhouse whilst creating an air gap.



NEOPRENE BEADING



Neoprene beading cushions the glass and holds it securely against the glazing bar.

It is PVC based and has a life span of 15 years. It must be pre-threaded into the glazing bars prior to assembly.

It is specifically designed to fit all Elite greenhouses.

Available in Black 50' (15m) or 100' (30m)



MASTIC BEADING

A butyl mastic beading strip forms a gasket between the glass and glazing bars. It is hard wearing, versatile and suitable for most makes of greenhouses. Great for repairs as the mastic can lie straight on the bed of the glazing bar.

Available in Grey
150' (45m) or 200' (60m)





SILICONE SEALANT

The sealant can be applied to wet and dry surfaces and bonds to aluminium, metal, steel, plastic, timber and brick. It has a life expectancy of 25 years and requires a dispenser which can be purchased separately.
Available in clear and ideal for emergency repairs




MUNTIN & ROOF GLASS SPACER

These PVC strips allow one pane of glass to sit on top of another without an overlap. They are particularly suitable for use with full sheet toughened glass.

2' (610mm) long

Available in:
Black, Green, White, Graphite and Olive.



BRUSH DRAUGHT EXCLUDER



The brush draught excluder reduces elements of dust, rain, light, unwanted pests and of course draughts. They fit inside a carrier making them very study. They also double up as a door stop allowing the doors to run smoothly along the track.

6'3" long (1900mm)

RUBBER DRAUGHT EXCLUDER

A black offset T section which slides into the back of the door to fill any space between the door and frame. This can also double up as a door stop.

6' long (1828mm)



SEPARATE BASE

The majority of Elite Greenhouses are supplied with an integral aluminium base as standard. Traditionally greenhouses and Lean to's were manufactured using a separate base. For this reason we can still offer this style of base if required. The separate base is aluminium and is 5" tall. It can also be powder coated to suit



UNEQUAL ANGLE BRACKETS



These brackets fit into the bolt slots located in the aluminium base to provide a secure attachment to a solid foundation.
Pack Qty 10

BRICK BASE ANCHORING KIT



If you have a brick base then the anchoring kit can be used. The angles are bolted to the cill and then with the use of a plug and screw it can be secured to the brick work. The pack consists of unequal angle brackets, plastic plugs, stainless steel screws & washers.
Pack Qty 10



BASE MATERIALS

Aluminium base legs bolt to the base corners. The base legs can then be inserted into the ground and cemented. If your greenhouse is sited on hard ground the base legs can be used to join the base / corners together—any excess leg can be easily hack sawed off. Pack Qty 4

CANTILEVERS





Many Elite buildings are supplied with cantilever braces as standard. The aluminium T bar adds additional strength to your greenhouse or lean-to framework. Additional cantilevers can be purchased and used for eave or ridge bracing.

Lengths available 12", 24" or 36"





Bent Spur Road, Kearsley, Bolton, BL4 8PD

01204 791488

www.elite-greenhouses.co.uk

enquiries@elite-greenhouses.co.uk

OCTOBER 2023